



## DUAL SERIES® FEATURES

From the creators of the original Dual Series comes the expanded 3<sup>rd</sup> generation HOIST<sup>\*</sup> HD Dual Series<sup>\*</sup>, offering a comprehensive solution for fitness facilities where space, budget or both are at a premium. Featuring the same aesthetic distinction and durable construction as the popular HOIST ROC-IT<sup>\*</sup> line, the HD Dual Series<sup>\*</sup> offers dual or multi-function stations.

By combining multiple exercises in each selectorized unit, the HD Dual Series<sup>\*</sup> allows facilities to maximize space and fitness offerings. Unique features such as patented FLIP-N-DIP<sup>\*</sup> and Flip 'N Grip <sup>\*</sup> handles, Silent Steel<sup>\*</sup> Weight Stacks and Rock Grips, make the HOIST HD Dual Series<sup>\*</sup> the stand-out choice for prestigious gym brands, hotels and universities around the world.

Utilizing flexibility in design, HOIST<sup>\*</sup> Fitness can provide a state-of-the-art strength circuit for almost any fitness center. The HD Dual Series<sup>\*</sup> offers an exciting blend of quality components, intuitive adjustments, superior bio mechanics and excellent value.

#### **COMFORT & DURABILITY**

- Head support and oversized handles provides a more comfortable and secure workout
- Oval tube frame provides unsurpassed strength and durability

#### CONVENIENCE

- Ratcheting adjuster system provides quick and easy seat adjustments to accommodate varying user sizes
- Integrated scuff guards and rubber foot protectors safeguard the machine's frame and facility floor
- Workout instructions for each machine available for download on your smartphone
- Integrated towel/bottle holder and accessory tray keeps personal items organized and reduces clutter on the gym floor

#### SLEEK & APPEALING

- Large radius bends add beauty as well as frame rigidity
- Silent Steel<sup>®</sup> Weight Stack designed to reduce noise during exercise



# SIMPLE TRAINER





HD-4000

## **SPECS**

PRODUCT DIMENSIONS MAXIMUM FOOTPRINT (ARMS OUT, L X W) 68" x 124" (173 cm x 315 cm)

PRODUCT DIMENSIONS MINIMUM FOOTPRINT (ARMS FULLY DOWN/UP, L X W) 46" x 82" (117 cm x 208cm)

**PRODUCT HEIGHT (ARMS DOWN/UP)** 82" - 92" (208 cm - 234 cm)

**PRODUCT WEIGHT** 903 lbs (410 kg)

**CABLE TRAVEL** 100" (254 cm) - each side

WEIGHT STACKS 2 x 240 lbs (109 kg) - each

#### WEIGHT RATIO

3 to 1 = 80 lbs (36 kg) max. at each handle

### **FEATURES**

- HOIST Fitness' patent-pending, dualaxis adjustment system controls both height and width of arms with a single, easy-to-adjust lever per side
- For added safety, the arms are slightly over-balanced\* to prevent falling, and bold indicators show users when they are locked and ready to use
- Cables remain centered with the axis of rotation for the arms, preventing slack as adjustments are made all while providing a smooth, consistent feel
- Arm adjustments features 12 height positions and 9 width positions on each side
- Accessories include stabilizing handles and water bottle/phone holder
- Comes standard with HOIST x2 strap handles

\*when paired with HOIST strap handles (x2 included)



## **DUAL PULLEY FUNCTIONAL TRAINER**







#### **SPECS**

#### PRODUCT DIMENSIONS (L X W X H)

71.6" x 51.1" x 91.7" (130 cm x 181 cm x 233 cm)

#### **PRODUCT WEIGHT**

935 lbs (424 kg)

#### WEIGHT STACK

2x 200 lbs (91 kg)



\*Column and number colors are not customizable.

Δ

\*\*TRX Strap not included. TRX is a registered trademark of Fitness Anywhere LLC (TRX)

- Space efficient functional trainer featuring convenient corner design and accessory racks
- Dual 200 lb Silent Steel<sup>®</sup> weight stacks provide a 2:1 ratio (50% resistance)
- 32 pulley positions placed at 2.5" increments
- Five pull-up/chin-up grip options including patented Flip 'N Grip® handles and rock climbing grips
- Integrated step-up assist for easy access to pull-up grips
- Suspension trainer attachment for TRX<sup>®\*\*</sup> and suspension trainer exercises
- Steel weight shields surround sides and back of weight stacks
- Comes standard with two (2) Strap Handles, Padded Ankle/Thigh Strap, Aluminum Curl Bar, Dual-Attachment Aluminum Long Bar, Dual-Attachment Long Strap
- 2-Tier shelf comes standard
- Pulley columns combine full 360 degree rotation, and a unique, patented, Integrated Adjustment System to provide smooth and easy one-handed adjustments



## PREACHER CURL / TRICEPS EXTENSION

## HD-3100



### **SPECS**

#### PRODUCT DIMENSIONS (L X W X H)

51.0" x 48.5" x 55.0" (129 cm x 123.1 cm x 140 cm)

#### PRODUCT WEIGHT HD

476 lbs (216 kg)

**PRODUCT WEIGHT HDG** 510 lbs (231 kg)

#### WEIGHT STACK HD 190 lbs (86 kg)

WEIGHT STACK HDG 225 lbs (102 kg)

- Bi-directional arm allows performance of biceps and triceps exercises in one machine
- Seven seat pad adjustments for varying user heights
- Multiple range-of-motion adjustments for both exercises



# LAT PULLDOWN / MID ROW

## HD-3200



#### LAT PULLDOWN







AIRCRAFT GRADE ALUMINUM BAR



### **SPECS**

#### **PRODUCT DIMENSIONS (L X W X H)** 49.0" x 66.0" x 86.0" (122 cm x 168 cm x 218 cm)

#### **PRODUCT WEIGHT HD** 624 lbs (283 kg)

**PRODUCT WEIGHT HDG** 649 lbs (294 kg)

WEIGHT STACK HD 225 lbs (102 kg)

WEIGHT STACK HD 250 lbs (113 kg)

- Telescoping chest pad with integrated thigh pads provide proper positioning and support for pulldown and mid row exercises
- Dual-position hand grips for mid row exercises
- Includes ultra-lite aluminum lat bar for lat pulldown exercises
- Seven seat pad adjustments for varying user heights
- Integrated storage for lat bar during mid row exercises



# **CHEST PRESS / SHOULDER PRESS**

## HD-3300





### **SPECS**

**PRODUCT DIMENSIONS (L X W X H)** 60.1" x 62.0" x 58.0" (152 cm x 157 cm x 147 cm)

#### **PRODUCT WEIGHT HD** 557 lbs (252 kg)

**PRODUCT WEIGHT HDG** 580 lbs (263 kg)

WEIGHT STACK HD 215 lbs (98 kg)

WEIGHT STACK HD 240 lbs (109 kg)

- Multiple seat and press arm positions
- Easy, one-handed angle adjustments for vertical chest press, incline chest press and shoulder press exercises
- Dual-position hand grips



# LEG CURL / LEG EXTENSION

## HD-3400

#### LEG EXTENSION













### **SPECS**

#### **PRODUCT DIMENSIONS (L X W X H)** 51.0" x 57.0" x 55.0" (130 cm x 145 cm x 140 cm)

#### **PRODUCT WEIGHT HD** 557 lbs (253 kg)

**PRODUCT WEIGHT HDG** 580 lbs (263 kg)

#### WEIGHT STACK HD 215 lbs (98 kg)

WEIGHT STACK HD 240 lbs (109 kg)

- Eight back pad adjustments for varying leg lengths
- Multiple range-of-motion adjustments for both exercises
- Self-aligning roller pad



# LEG PRESS / CALF RAISE

## HD-3403

LEG PRESS



CALF RAISE







OVERSIZED NON-SLIP PLATE



### **SPECS**

**PRODUCT DIMENSIONS (L X W X H)** 70.0" x 50.0" x 63.0" (178 cm x 127 cm x 161 cm)

**PRODUCT WEIGHT HD** 746 lbs (338 kg)

**PRODUCT WEIGHT HDG** 846 lbs (383 kg)

WEIGHT STACK HD 280 lbs (127 kg)

WEIGHT STACK HD 380 lbs (172 kg)

### **FEATURES**

- Eleven linear seat adjustments to accommodate varying leg lengths
- Large oval foot plate provides multiple foot positions for both leg press and calf exercises
- Step-through design



# AB CRUNCH / LOWER BACK

## HD-3600

LOWER BACK













### **SPECS**

#### PRODUCT DIMENSIONS (L X W X H)

52.0" x 48.0" x 55.0" (132 cm x 122 cm x 140 cm)

## **PRODUCT WEIGHT HD** 505 lbs (229 kg)

**PRODUCT WEIGHT HDG** 538 lbs (244 kg)

WEIGHT STACK HD 180 lbs (82 kg)

WEIGHT STACK HD 215 lbs (98 kg)

## **FEATURES**

- Bi-directional press-arm allows for back and abs exercises in one machine
- Multiple range-of-motion adjustments for both exercises
- Seven seat pad adjustments for varying user heights
- Angled foot pegs and horizontal foot pads provide multiple foot placement options



# CHIN / DIP ASSIST

## HD-3700

#### CHIN UP (ASSISTED)



#### DIP (UNASSISTED)









### **SPECS**

#### PRODUCT DIMENSIONS (L X W X H)

52.0" x 48.0 x 83.0" (132 cm x 122 cm x 210 cm)

## **PRODUCT WEIGHT HD** 579 lbs (262 kg)

PRODUCT WEIGHT HDG

579 lbs (262 kg)

WEIGHT STACK HD 210 lbs (95 kg)

WEIGHT STACK HD 210 lbs (95 kg)

### **FEATURES**

- Compact, kneeling design saves space for a smaller footprint in fitness facilities
- Four pull-up/chin-up grip options including HOIST's patented Flip 'N Grip<sup>®</sup> handles and rock climbing grips
- Knee pad folds out for assisted exercises and can be placed into stowed position for unassisted exercises
- Dual-position dip handles (wide and narrow)



# INNER THIGH / OUTER THIGH

## HD-3800

#### INNER THIGH



OUTER THIGH









### **SPECS**

**PRODUCT DIMENSIONS (L X W X H)** 72.0" x 31.0" x 55.0" (183 cm x 79 cm x 140 cm)

#### **PRODUCT WEIGHT HD** 525 lbs (238 kg)

**PRODUCT WEIGHT HDG** 558 lbs (253 kg)

WEIGHT STACK HD 180 lbs (82 kg)

WEIGHT STACK HD 215 lbs (98 kg)

## **FEATURES**

- Adjustable-angle back pad to accommodate varying flexibility and body sizes
- Thigh pads swivel for each exercise position
- Exercise arms can be adjusted from the seated position
- Multiple range-of-motion adjustments for both exercises



# **PEC FLY / REAR DELT**

## HD-3900



REAR DELT









## **SPECS**

#### PRODUCT DIMENSIONS (L X W X H)

56.0" x 67.0" x 78.0" (142 cm x 170 cm x 198 cm)

#### PRODUCT WEIGHT HD

649 lbs (249 kg)

#### WEIGHT STACK HD 310 lbs (141 kg)

## **FEATURES**

- Swiveling handles with rotating grips provide multiple hand positions
- Multiple range-of-motion adjustments for both exercises
- Each exercise arm has dual pivots for user-defined exercise path
- Seven seat pad adjustments for varying user heights



## HOIST CUSTOM WRAPS & LOGO DECALS

HOIST<sup>\*</sup> Fitness is proud to continually offer the most in versatility and customization. Take advantage of HOIST Fitness's custom Logo Decals and Shield Wraps for Club Line, ROC-IT<sup>\*</sup> RS Selectorized, and HD Dual<sup>\*</sup> Products to give your equipment a custom look to fit seamlessly with your brand and facility.

Shield wraps and logo decals are available for all Club Line (CL), ROC-IT Selectorized (RS), and HOIST Dual (HD) units at an additional cost. Due to wrap material, colors are subject to variation and exact PMS or CMYK color matching cannot be guaranteed. For optimal color matching, please provide CMYK color codes.





## **STANDARD COLORS**

ROC-IT (RS, RPL) COMMERCIAL FREEWEIGHTS (CF) COMMERCIAL MULTI JUNGLE (CMJ) CLUB LINE (CL)

FRAME





### HOIST DUAL SERIES (HD)

MOTION CAGE (MC, MCS) PERFORMANCE SERIES (PS)



CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES

### HOIST LIGHT COMMERCIAL/ HOME FREEWEIGHTS (HF) H4400 & H2200



© 2024 HOIST\* Fitness Systems. All Rights Reserved | 11900 Community Road, Poway, CA 92064 | 800.548.LIFT (5438) | www.HOISTFitness.com



# HD DUAL SERIES

## **FULL SPECS**

PRODU	CT NAME	LENGTH	WIDTH	HEIGHT	WEIGHT	WEIGHT STACK
HD-3000	FUNCTIONAL TRAINER	71.6" (130 cm)	51.1" (181 cm)	91.7" (233 cm)	918 lbs (416 kg)	2 x 200lbs (91 kg)
HD-3100	PREACHER CURL / TRICEPS EXT.	51" (129 cm)	48.5" (123.1 cm)	55" (140 cm)	476 lbs (216 kg)	190 lbs (86 kg)
HDG-3100	PREACHER CURL / TRICEPS EXT.	51" (129 cm)	48.5" (123.1 cm)	55" (140 cm)	510 lbs (231 kg)	225 lbs (102 kg)
					510 103 (251 kg)	223 Ib3 (IO2 kg)
HD-3200	LAT PULLDOWN / MID ROW	49" (122 cm)	66" (168 cm)	86" (218 cm)	624 lbs (283 kg)	225 lbs (102 kg)
HDG-3200	LAT PULLDOWN / MID ROW	49" (122 cm)	66" (168 cm)	86" (218 cm)	649 lbs (294 kg)	250 lbs (113 kg)
HD-3300	CHEST PRESS / SHOULDER RAISE	60.1" (152 cm)	62" (157 cm)	58" (147 cm)	557 lbs (252 kg)	215 lbs (98 kg)
HDG-3300	CHEST PRESS / SHOULDER RAISE	60.1" (152 cm)	62" (157 cm)	58" (147 cm)	580 lbs (263 kg)	240 lbs (109 kg)
HD-3400	LEG CURL / LEG EXTENSION	51" (130 cm)	57" (145 cm)	55" (140 cm)	557 lbs (253 kg)	215 (98 kg)
110 0400			57 (145 cm)		557 IDS (255 Kg)	215 (50 kg)
HDG-3400	LEG CURL / LEG EXTENSION	51" (130 cm)	57" (145 cm)	55" (140 cm)	580 lbs (263 kg)	240 lbs (109 kg)
HD-3403	LEG PRESS / CALF RAISE	70" (178 cm)	50" (127 cm)	63" (161 cm)	746 lbs (338 kg)	280 lbs (127 kg)
HDG-3403	LEG PRESS / CALF RAISE	70" (178 cm)	50" (127 cm)	63" (161 cm)	846 lbs (383 kg)	380 lbs (172 kg)
HD-3600	AB CRUNCH / LOWERBACK	52" (132 cm)	48" (122 cm)	55" (140 cm)	505 lbs (229 kg)	180 lbs (82 kg)
HDG-3600	AB CRUNCH / LOWERBACK	52" (132 cm)	48" (122 cm)	55" (140 cm)	538 lbs (244 kg)	215 lbs (98 kg)
HD-3700	CHIN ASSIST / DIP ASSIST	52" (132 cm)	48" (122 cm)	83" (210 cm)	579 lbs (262 kg)	210 lbs (95 kg)
HD-3800	INNER THIGH / OUTER THIGH	72" (183 cm)	31" (79 cm)	55" (140 cm)	525 lbs (238 kg)	180 lbs (82 kg)
		701/ (107)	7111 (70)			
HDG-3800	INNER THIGH / OUTER THIGH	72" (183 cm)	31" (79 cm)	55" (140 cm)	558 lbs (253 kg)	215 lbs (98 kg)
HD-3900	PEC FLY / REAR DELT	56" (142 cm)	67" (170 cm)	78" (198 cm)	649 lbs (249 kg)	310 lbs (141 kg)
HD-4000	SIMPLE TRAINER	68" (173 cm)	124" (315 cm)	92" (208 cm)	903 lbs (410 kg)	2 x 240lbs (109 kg)
						(100 kg)



# WARRANTY POLICY

HOIST<sup>\*</sup> Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST<sup>\*</sup> Fitness warranties this product to the original purchaser only. HOIST<sup>\*</sup> Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. **FOR COMPLETE WARRANTY INFORMATION, VISIT HOISTFITNESS.COM AND CLICK ON THE "SUPPORT" LINK.** Warranty policy applies to defects from the manufacturer only.

HOIST<sup>\*</sup> Fitness reserves the right to change product specifications, design, and function at any time.

## TRADEMARKS AND PATENTS

HOIST<sup>\*</sup> Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.<sup>+</sup>

- ♦ HOIST<sup>®</sup>
- ◆ ACT NOW<sup>®</sup>
- CABLE-DRIVEN<sup>™</sup>
- CLUB QUALITY
  GUARANTEED<sup>\*</sup>
- COMPOSITE MOTION<sup>™</sup>
- DUAL ACTION SMITH<sup>®</sup>
- EASY GLIDE<sup>™</sup>
- EZ-LOC LATCHING MECHANISM<sup>™</sup>
- FEEL THE RIDE<sup>®</sup>
- GLUTEMASTER<sup>®</sup>
- HOIST CLASSIC\*

- QUIK-CHANGE<sup>\*</sup>
- RADIAL LOC<sup>\*</sup>
- RIDE ORIENTED CIRCUIT-INTERVAL TRAINING<sup>™</sup>
- RIDE ORIENTED CONDITIONING\*
- RIDE ORIENTED CONDITIONING SYSTEM<sup>®</sup>
- RIDE ORIENTED CONDITIONING-INTENSITY TRAINING<sup>™</sup>
- RIDE ORIENTED XERCISE\*
- *ROC*<sup>∗</sup>

- ROCS\*
- ROX<sup>®</sup>
- ♦ ROC-IT<sup>\*</sup>
- ROC-ABS<sup>\*</sup>
- SILENT STEEL<sup>®</sup>
- SPLIT WEIGHT CABLING<sup>™</sup>
- ULTRA-LITE LIFTING SYSTEM<sup>™</sup>
- ◆ DUAL SERIES™
- FLIP-N-DIP\*
- ◆ FLIP-N-GRIP<sup>®</sup>

D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439822, D439,943, D440,610, D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580, D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046, D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459, D569,926, D574,448, D574,449, D577,234, D578,584, D579,989, D583,426, D590,032, D746,388, D77,757, D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,916,072, 5,951,444, 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878, 6,491,606, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,066, 7,316,634, 7,322,906, 7,322,911, 7,335,140, 7,361,125, 7,384,381, 7,393,309, 7,749,143, 7,468,024, 7,544,156, 7,549,880, 7, 549,949, 7,563,209, 7,563,214, 7,594,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940
7,670,269, 7,713,179, 7,717,832, 7,731,638, 7,749,371, 7,749,372, 7,766,802, 7,806,809, 7,815,555, 7,867,149, 7,878,953, 7,901,335, 7,901,337, 7,909,743, 7,938,760, 7,963,890, 7,976,440, 7,981,010, 7,988,603, 7,993,251, 8,002,679, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,172,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,172,732, 8,172,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,172,732, 8,172,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,172,732, 8,172,732, 8,172,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,007,411, 8,021,070, 8,057,366, 8,328,698, 8,007,411, 8,001,600, 8,007,411, 8,001,600, 8,007,411, 8,001,600, 8,007,411, 8,001,600, 8,007,411, 8,001,600, 8,007,411, 8,001,600, 8,007,411, 8,001,600, 8,000,600,600,600,600,600,600,600,600,60
8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298, 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850, 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 11,135,475, 11,013,949, 10,780,310, 10,780,310, 10,780,310, 10,780,310, 10,780,310, 10,780,310, 10,780,310, 10,780,310, 10,780,310,310,310,310,310,310,310,310,310,31
10,737,131 10,709,922 10,646,739 10,639,513 10,532,244 10,486,012 10,426,990 10,420,985 D857,812 10,391,352 10,350,445 D852,291 10,307,630 10,220,240,WW D836,733 10,086,229

<sup>+</sup> Other Patents Pending